

FIG. 1




FIG. 2





FIG. 3a






FIG. 3c




FIG. 4a




FIG. 4b






FIG. 4c



501a






FIG. 6a




FIG. 7a

INPUT ENGINE




FIG. 7b

COMMAND ENGINE




FIG. 7c

APPLICATION SUPPORT




FIG. 7d

DESIGNATION ENGINE





FIG. 7e

516 ENHANCEMENT ENGINE









FIG. 8e




FIG. 8g




FIG. 8f




FIG. 6a




FIG. 6b





FIG. 6c




FIG. 6e




FIG. 10-1





FIG. 10-2






FIG. 8

FIG. 5




FIG. 10




FIG. 11b





FIG. 11A

USING GENERIC ROOTS
MANIPULATING THE INTERFACE
TRAVERSING THE INTERFACE
SORTING MESSAGES
MERGING MESSAGES
INTERACTING WITH THE ADDRESS BOOK
CONTROLLING DATA REMOTELY
USING ALTERNATIVES
USING ENHANCEMENTS
USING SUBSTITUTING

EMAIL
EXAMPLE
COMMAND
EXECUTION
MODULES

FIG. 12



The figure consists of two screenshots of a software application interface.

The top screenshot shows the "Contact Name - Properties" dialog box. It has a title bar "Contact Name - Properties" and a menu bar with "File", "Edit", "View", and "Message". The "View" menu is open, showing options: "Look in", "From", "To", "Subject", "Message", "Rec Before", and "Rec After". The "Look in" field is empty, and the "From" field contains "Browse". The "To" field contains "Find Now". The "Subject" field contains "Stop". The "Message" field contains "New Srch". The "Rec Before" and "Rec After" fields are empty. At the bottom, there are "OK" and "Cancel" buttons.

The bottom screenshot shows the "Address Book - Main Identity" window. It has a title bar "Address Book - Main Identity" and a menu bar with "File", "Edit", "View", "Tools", and "Help". The "View" menu is open, showing options: "C-Folder-1", "C-Folder-2", "C-Folder-3", "C-Folder-4", "Group-1", and "Group-2". The "C-Folder-1" option is selected. The "C-Folder-2" option is also visible. The "C-Folder-3" option is visible. The "C-Folder-4" option is visible. The "Group-1" option is visible. The "Group-2" option is visible. At the bottom, there are "OK" and "Cancel" buttons.

FIG. 13




FIG. 14




FIG. 19
NEW COMMAND/CONVERSION

FIG. 20






FIG. 21

Continue/repose/rythem




Remote Handling

(predominant circumstances)



- Each potentially including data carrying
- The farms (primarily) better backed up

Illustrated using folders, but applies to any such re-direction



eg: (GOTO <foldername> Messages